



PRODUCT CATALOGUE



We market a complete and varied range of PPE viz.

- ▶ Honeywell - Respiratory Protection
- ▶ Howard Leight - Hearing Protection
- ▶ Honeywell - Eye/ Face protection
- ▶ Honeywell - Fall Protection
- ▶ Honeywell - Hand Protection
- ▶ Optrel - Welding Helmets
- ▶ Overalls
- ▶ Safety Shoes & Boot

We go further than simple protection, by offering comfortable and stylish equipment that workers want to wear. Our goal is to not merely maintain productivity in the workplace but rather partner with our customers and seek ways together to optimize it.

As part of our service, we can provide on-site training on the proper use and maintenance of PPE. We can also do an evaluation on the existing products that are being utilized and give you an indication of the adherence or shortfalls thereof.

Contact Details



Block A, Great Wall Building
5 Skeen Boulevard
Bedfordview



Tel: 011 450 1936/7





jayce@safetyatworkcc.co.za
info@safetyatworkcc.co.za

About Us

Safety At Work CC is a BEE company focusing on providing Personal Protective Equipment (PPE) solutions in the workplace.

By our association with HSE Solutions (South Africa) & Honeywell, the French based, world leader in personal protective equipment, we are able to supply world class brands and professional technical solutions with access to international expertise concerning all aspects of PPE.

Personal protection in the workplace is one of the keys to building worker confidence and productivity in sectors such as manufacturing, mining and construction where workers are continually exposed to hazards such as material projectiles, high noise levels, noxious substances or extreme heights.





Content

Disposable Respirators	04
Reusable Respirators	05
Earplugs	06
Earmuffs	07
Eye Protection	08
Eye Protection	09
Hand Protection	10
Hand Protection	11
Gas Detection	12
Fall Protection	13
Disposable Clothing	14



Disposable Respirators

Honeywell

Honeywell respirators are ideally suited to a wide range of mining and industrial environments. The range is CE certified and SABS compliant. All products are manufactured in ISO 9001 certified facilities.

2000 SERIES

2210

FFP2 respirator flat-fold
EN149 FFP2D
Box of 20

Art No. 1031592



2211

FFP2 flat-fold respirator with valve
EN149 FFP2D
Box of 20

Art No. 1031593

4000 SERIES

4210

FFP2 respirator
EN149 FFP2D
Box of 20

Art No. 1005611



4211

FFP2 respirator with valve
EN149 FFP2D
Box of 10

Art No. 1005614

5000 SPECIALITY SERIES

5251

FFP2 NR D Non Reusable Moulded EN particulate respirator against nuisance level organic vapours, with a valve, a Willtech™ full-face seal and adjustable braids. Dolomite tested. Ideal for welding.

Art No. 1005595



5261

Honeywell 5261 - FFP2 NR D
FFP2 Non Reusable Moulded EN particulate respirator against nuisance level acid gases, with a valve, a Willtech™ half-face seal and twin-stapled elastics. Dolomite tested.

Art No. 1005600

5000 PREMIUM SERIES

5321

FFP3 NR D Non Reusable Moulded EN particulate respirator, with a valve, a Willtech™ full-face seal and adjustable braids. Dolomite tested.

Art No. 1005602



5000 COMFORT SERIES

5185

FFP1 Non Reusable Moulded EN particulate respirator mask, with a nose seal and twin-stapled elastics.

Art No. 1007221



5186

FFP1 Non Reusable Moulded EN particulate respirator mask, with a valve, a nose seal and twin-stapled elastics.

Art No. 1007222

5208

FFP2 Non Reusable Moulded EN particulate respirator mask, with a nose seal and twin-stapled elastics.

Art No. 1007223



5209

FFP2 Non Reusable Moulded EN particulate respirator mask, with a valve, a nose seal and twin-stapled elastics.

Art No. 1007224

Nose
Bridge
Colour



Filters at least 99% of airborne particles

Filters at least 94% of airborne particles

Filters at least 80% of airborne particles



CE 0194
EN149:2001+A1:2009



HALF MASKS

VALUAIR

Economic thermoplastic elastomer half mask compatible with Honeywell Twin filter cartridges. Silicone-free. Ideal for spray-painting.

Art No.1001573, Size M
Art No.1001574, Size L



PREMIER

High-grade silicone half mask compatible with Honeywell Twin filter cartridges. Superior comfort and durability.

Art No.1001575, Size M
Art No.1001576, Size L



FULL FACE MASKS

OPTIFIT SINGLE

Ultra-soft silicone full-face mask compatible with Honeywell single filter canisters. Superior comfort and durability. Integrated speech diaphragm to aid communication.

Art No.1715011, Size M



OPTIFIT TWIN

High-grade silicone facepiece for exceptional comfort and durability. Double sealing flanges for optimised seal. Speech diaphragm to aid communication. Wide angle panoramic lens for unobstructed peripheral vision. A wide range of Honeywell "click-fit" twin plastic filter cartridges available.

Art No.1715241, Size M
Art No.1715251, Size L



FILTERS

SINGLE PLASTIC FILTER CANISTERS

- Conform to EN 141, EN 143 and EN 371
- Designed to reach new levels of filtration and breathing resistance performance
- Light-weight and shock-proof
- Rd 40 threaded connection for reliable fitment and seal
- Coconut-based carbon with large exchange area for optimal lifespan



A2	Art No.1788000
B2	Art No.1788010
AB2EK1	Art No.1788140
P3	Art No.1786000
AB2EK1P3 Retainer	Art No.1788145

TWIN PLASTIC FILTER CARTRIDGES

- Conform to EN 141 and EN 143
- Designed to reach new levels of filtration and breathing resistance performance
- "Click-fit" system for safe and secure fitment
- Coconut-based carbon with large exchange area for optimal lifespan



A2	Art No.1001577
ABEK1	Art No.1001581
P3	Art No.1001582
ABEK1P3	Art No.1001587
P2 Pre-filter	Art No.1002801
Pre-filter Retainer	Art No.1001590

Colour, Type and Main Applications

	Organic vapours, solvents and hydrocarbons
	Organic volatile gas vapours - Boiling point below 65 degrees Celsius
	Inorganic gases and vapours
	Acid gases
	Organic amine compounds - Ammonia
	Particulates - Solid and liquid aerosols

Nominal Protection Factor

Filter Class	With half mask (EN 140)	With full-face mask (EN 136)
Gas/vapour filters of Class 1 (EN 141)	50 x OEL* up to 1000 ppm**	2000 x OEL* up to 1000ppm**
Gas/vapour filters of Class 2 (EN 141)	50 x OEL* up to 5000 ppm**	2000 x OEL* up to 5000ppm**
P1 particle filters (EN 143)	4.5 x OEL*	5 x OEL*
P2 particle filters (EN 143)	12 x OEL*	16.5 x OEL*
P3 particle filters (EN 143)	50 x OEL*	1000 x OEL*

*OEL = Occupational Exposure Limit
**ppm = parts per million



Your employees deserve the best in hearing protection. From technical innovations to educational initiatives to field verification, Howard Leight offers a suite of resources to make hearing conservation happen.

SINGLE-USE EARPLUGS

LASER LITE® SNR 35

The bright idea in hearing protection, Laser Lite's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. Its high-visibility magenta and yellow colours make compliance checks quick and easy.

Uncorded Art No. 3301105
Corded Art No. 3301106



REUSABLE EARPLUGS

SMARTFIT® SNR 30

Ears are like people - each is unique and different. That's what makes SmartFit such a marvel of user-friendly design. The only multiple-use reusable earplug with Conforming Material Technology, SmartFit uses body heat to adapt to the shape of the ear canal for a comfortable, personalized fit. With a detachable cord system, an option of a HearPack carry case and special application styles available, it's the ultra-smart choice for today's diverse workplace.

Hearpack Art No. 1011239
Polybag Art No. 1028476



QUIET® SNR 28

For great protection and comfort from a multiple-use earplug, Quiet provides consistent attenuation for all-day wear. Quiet requires no rolling - its built-in flexible stem adds ease of insertion and immediate comfort. Its smooth, non-irritating skin provides all-day comfort and is easy to clean up with soap and water for extended wear.

Polybag Art No. 3301172



FUSION® SNR 28

Fusion multiple-use earplugs use advanced manufacturing technology to deliver a revolutionary combination of all-day comfort and easy handling. Its FlexiFirm core ensures easy insertion into the ear canal and a superior fit all day long. Fusion's patented SoftFlange design adjusts perfectly to the ear canal to deliver unmatched comfort and superior attenuation. Available in a HearPack carry case.

Art No. 1011282, Regular
Art No. 1011281, Size S



DETACHABLE EARPLUGS

LASER TRACK® SNR 35

Laser Trak safety earplugs offer high visual and metal detectability in a single-use earplug. Laser Trak's low-pressure polyurethane foam expands gently inside the ear canal for comfortable long-term wear, while its contoured T-shape delivers easy handling. A metal grommet on the earplug aids in metal detection.

Corded Art No. 3301167



BILSOM® 303 & 304 SNR 35

Bilsom's unique foam formulation is easier to roll-down and once inserted properly, resists the tendency to back out of the ear canal - ensuring a tight seal for optimal protection. Its smooth, soil-resistant skin prevents the build-up of dirt on the earplug, promoting proper hygiene. Plus, its distinct yellow end is highly visible outside the ear canal for compliance checks.

Uncorded Bilsom® 303 Art No. 1005073, Regular
Uncorded Bilsom® 303 Art No. 1005074, Size S
Corded Bilsom® 304 Art No. 1000106, Regular
Corded Bilsom® 304 Art No. 1000107, Size S



DISPENSER EARPLUGS

LEIGHT® SOURCE 400

Bilsom's unique foam formulation is easier to roll-down and once inserted properly, resists the tendency to back out of the ear canal - ensuring a tight seal for optimal protection. Its smooth, soil-resistant skin prevents the build-up of dirt on the earplug, promoting proper hygiene. Plus, its distinct yellow end is highly visible outside the ear canal for compliance checks.

LS-400 dispenser Art No. 1013040 (empty)
Laser Lite refill pack Art No. 1013047
Max Lite refill pack Art No. 1013048
Max refill pack Art No. 1013046
Matrix Orange refill pack Art No. 1013042



LS500 EARPLUG DISPENSER

Heavy-duty anodised aluminium wall mounted earplug station, dispenses plugs with the turn of a handle

LS500 Dispenser Art No. 3301273 (empty)




BANDED EARPLUGS

QB2HYG® SNR 24

Designed for people who are exposed to intermittent noise, QB2HYG offers solid protection with its supra-aural fit. Smooth, ergonomic pods fit inside the opening of the ear canal for noise protection, while the patented band design prevents ear pods from touching dirty or contaminated surfaces when set down.

Banded Art No. 3301280
Replacement pods Art No. 3301181





NOISE BLOCKING EARMUFFS

LEIGHTNING® L1 SNR 30

Leightning series' steel-wire construction provides high performance and robust durability. Leightning stands up to daily use and abuse without compromising comfort. Howard Leight has optimized the Leightning series to deliver the highest level of comfort available, featuring an exclusive padded foam headband and super-soft ear cushions that eliminate that "squeezing" pressure on the head. The Leightning series also features Bilsom Technology's patented Air Flow Control technology for optimal attenuation across all frequencies and snap-in ear cushions for easy maintenance.



L1 Headband	Art No.1010922
L1N Neckband	Art No.1011994
L1H Helmet	Art No.1012539
Hygiene Kit	Art No.1011998



VIKING™ V1 SNR 30

Viking series multiple-position earmuffs give workers the flexibility to wear their earmuffs over the head, behind the head or under-the-chin. Viking earmuffs can be worn with other PPE, including hard hats, visors, face shields, respirators and welding shields. Plus, Viking's robust non-deforming dielectric construction withstands use and abuse while protecting your workers in electrical environments. The Viking series features patented Air Flow Control technology for optimal attenuation across all frequencies and also snap-in ear cushions for easy maintenance.

Earmuff	Art No.1010925
Hygiene Kit	Art No.1011998

SOUND MANAGEMENT EARMUFFS

IMPACT™ SERIES SNR 25/SNR 33

Impact earmuffs enhance the perception of certain sounds through advanced sound amplification technology. Wearers hear important sounds in their environment - co-workers, alarms and warning signals - at a safely amplified level. This helps eliminate the feeling of isolation. The amplification of ambient sounds is limited to a safety level of 82 dB - while response technology reverts to passive hearing protection if the noise reaches 82 dB. Directional stereo microphones amplify and enhance sound for more natural hearing. The Impact Series is ideal for recreational and professional shooting, both indoors and outdoors.



Impact Sport (SNR 25)	Art No.1013530
Impact PRO (SNR 33)	Art No.1018953
Hygiene Kit (Impact Sport)	Art No.1015280
Hygiene Kit (Impact PRO)	Art No.1030220

QM24+® SNR 26

The dielectric QM24+ is an ultra-lightweight, three-position earmuff designed for extended wear at a valued price. The QM24+ features an adjustable crown strap for a secure fit over-the-head, behind-the-head and below-the-chin. Soft foam cushions are easy to clean with soap and water and can be replaced for extended use.



Earmuff	Art No.3302152
Hygiene Kit	Art No.3301283

RADIO & STEREO EARMUFFS

SYNC STEREO SNR 31

Most stereo earmuffs provide some level of hearing protection, but often sacrifice sound quality for attenuation. That's why we created Sync, the latest innovation in passive hearing protection for active lifestyles. It's a stereo earmuff that's in Sync with proper levels of hearing protection, high-fidelity sound and your ability to listen to portable audio devices safely at work - and at home. Sync provides ideal, consistent hearing protection and ensures appropriate attenuation in most industrial environments. Sync's Volume Management Technology manages sound levels reaching the user's ear to a safe level.



Earmuff	Art No.1030111
---------	----------------

CLARITY® C1 SNR 25-26

Clarity Series earmuffs improve worker safety by blocking noise, while voice and signal frequencies can be heard more naturally. Clarity earmuffs provide uniform attenuation that allows speech frequencies to be heard with less distortion - combating worker isolation and overprotection on the job. Plus, Clarity's robust non-deforming dielectric design withstands use and abuse while protecting workers in electrical environments.



C1 Earmuff	Art No.1011142
C1F Earmuff	Art No.1011143
C1H Earmuff	Art No.1011262
Hygiene Kit	Art No.1006080



Honeywell Eye & Face protection products are designed specifically to protect against mechanical, chemical and risks associated with radiation. The range is EN certified and meets the EN166 standard.

SPECTACLES

ADAPTEC

- Adjustable nose bridge to centre the eye position to reduce eye fatigue.
- Automatic adjustment of the nose pads means additional comfort for the wearer.
- Adjustable lens angle for increased safety and reduced fogging.
- Precise adjustment of the temples to give the right fit and ensure comfort when worn for long periods.
- Honeywell Adaptec 4A+ Coating on both sides of the lens (K&N) ensures excellent anti-fog, anti-static and scratch-resistant properties



Application	Art. No	Frame	Lens	Lens coating
Indoor use	1030749	Red/Black	Clear	Anti-scratch
Low light	1030748	Red/Black	Amber	Anti-scratch
Outdoor	1030751	Red/Black	Mirror I/O	Anti-scratch
Light gas welding	1030747	Red/Black	IR 5.0	Anti-scratch

XC®

With Rx lens insert, XC offers an alternative for workers requiring vision correction

- Extended wrap-around lens for up to 20% more cheek and side coverage
- Dual 9-base wrap-around lens provides uncompromised peripheral vision and protection
- Soft flexible fingers adjust and conform to almost any nasal profile and help reduce nasal slippage
- Soft elastomer brow guard diffuses and deflects impact
- Available with a variety of high-performance lens coating options including Dura-Streme® & Supra-Dura®
- Economical lens replacement system
- Lifetime Frame guarantee



Application	Art. No.	Lens	Lens coating
Indoor use	1011027	Clear	Abrasion Resistant/Anti-fog
Outdoor use	1011025	Grey TSR	Abrasion Resistant/Anti-fog
Low light conditions	1011024	HDL Yellow	Abrasion Resistant/Anti-fog
Welding	1011021	IR 3	Abrasion Resistant
Welding	1011020	IR 5	Abrasion Resistant

A700

Industrial strength style!

- Sport temples with soft temple tip pads for a comfortable fit
- Secure wrap-around design
- Polycarbonate lens
- Available in Anti-scratch and Fog-ban coatings
- Meets EN166



Application	Art. No	Lens	Lens coating
Indoor use	1015360	Clear	Abrasion Resistant/Anti-fog
Outdoor use	1015351	Grey TSR	Abrasion Resistant/Anti-fog
Low light conditions	1015441	HDL Yellow	Abrasion Resistant
Outdoor conditions	1015440	Blue Mirror	Abrasion Resistant

A800

Comfort, style & protection at a hardworking price!

- Sporty, 9 base wrap-around polycarbonate lens
- Non-slip rubber nose bridge and padded temples
- Extra "flex" built into the temple for increased tension control
- Available in Anti-scratch and Fog-ban coatings
- Meets EN166



Application	Art. No	Lens	Lens coating
Low light conditions	1028470	Clear	Abrasion Resistant/Anti-fog
Outdoor use	1028471	Grey TSR	Abrasion Resistant/Anti-fog
Indoor/outdoor use	1028472	I/O Silver	Abrasion Resistant

HONEYWELL MILLENNIA™

A classical favourite!

- Lightweight frame and wrap-around unilens for superior side and brow protection
- Comfortable universal nose bridge
- Meets EN166



Application	Art. No	Lens	Lens coating
Indoor/outdoor use	1000004	I/O Silver	Abrasion Resistant
Outdoor use (bright sunlight)	1000005	Silver Mirror	Abrasion Resistant
Indoor use	1002781	Clear	Abrasion Resistant/Anti-fog
Outdoor use (low sunlight)	1002782	TSR Grey	Abrasion Resistant/Anti-fog
Low light conditions	1005212	HDL Yellow	Abrasion Resistant/Anti-fog
Welding	1006405	IR 3	Abrasion Resistant
Welding/Foundries	1006406	IR 5	Abrasion Resistant

MILLENNIA SPORT

Sporty style at a great price!

- One-piece lens concept with 2 optical 9 base spherical inserts for "parallel Vision Control"
- 3D ergonomically-curved nylon temples to accommodate hardhat harnesses more comfortably
- Adjustable break-away Flexicord retainer
- Universal nose piece moulded in the lens
- General use and protection against impact (45m/s)



Application	Art. No	Lens	Lens coating
Indoor use	1012500	Clear	Abrasion Resistant/Anti-fog
Indoor use	1006031	Clear	Anti-fog
Outdoor use	1005986	Grey TSR	Anti-fog
Outdoor use	1006032	Grey TSR	Anti-fog



XV SERIES

Practical protection at an affordable price!

- Polycarbonate 10-base wrap-around lens for great peripheral vision.
- 10-base, wrap-around uni-lens for great peripheral vision and protection
- Moulded, universal nosepiece for easy fit
- Lightweight design and thin, shaped temples for all-day comfort
- Meets ANSI Z87+ (High Impact) standard

Application	Art. No.	Lens	Lens coating
Indoor use	1028862	Clear	Abrasion Resistant
Outdoor use	1028867	Grey	Abrasion Resistant
Indoor & Outdoor use	1028861	I/O Silver	Abrasion Resistant



STELLAR

- Stainless metal frame, with metal temples (3D spatula tips).
- Adjustable hypoallergenic nose bridge.
- Available in 2 sizes 57 mm and 61 mm

Application	Art. No	Frame	Lens	Lens coating
Indoor use	1005564	Silver 61mm	Clear	Anti-scratch
Indoor use	1005572	Silver 57mm	Clear	Anti-scratch



GOGGLES

V-MAXX®

- Sleek wrap-around styling for a 180 degree, clear field of vision
- Direct and indirect ventilation styles available for impact or splash applications
- Adjustable elastic or neoprene headband
- Pivoting headbands and clips to adjust strap around hard hats or hearing protection
- Peel-off goggle covers available to extend useful life of the lens
- Can be worn over most prescription eyewear (OTG compatible)
- Available in clear, 3.0 and 5.0 welding shades
- Available with scratch-resistant hard coat or Fog-Ban anti-fog coatings
- Meets EN166

Application	Art. No.	Lens	Lens coating
Indoor use	1006193 (indirect vent)	Clear (PC)	Abrasion Resistant/Anti-fog
Indoor use	006196 (no vent)	Clear (PC)	Abrasion Resistant/Anti-fog
Welding/Foundries	1008111 (Indirect vent)	IR5	Abrasion Resistant/Anti-fog



DURAMAXX

- High performance goggle
- Its low-profile design and toric lens provide superior optics and unobstructed vision, while it's soft, elastomer body flexes and conforms to the face for a comfortable, gap-free fit
- DuraMaxx has a large adjustable headband, an easy, economical lens replacement system, and can be worn comfortably with prescription frames and half-mask respirator
- Dura-streme™ coating technology

Application	Art. No.	Lens	Lens coating
Indoor use	1017750	Clear	Abrasion Resistant/Anti-fog
Outdoor use	1017738	TS Grey	Abrasion Resistant/Anti-fog
Welding	1017739	Shade 5	Abrasion Resistant/Anti-fog



FACE SHIELDS

SUPERVIZOR™

- Wide range of visors that can be tailored to the specific hazard/application: mechanical, chemical, heat etc.
- A secure and easy visor fixing method that allows for easy visor replacement
- Full-face protection: optional chinguard versions available for added protection
- Creased visor eliminates gaps while visor profile follows contours of the face for maximum protection
- Full unrestricted head movement
- Visors available in triacetate, polycarbonate, acetate coatings. Also available are metal visors and gold coated visors



FIXING SYSTEM SUPERVIZOR

Art. nr.	Name	Description
1002297	SB600	Browguard With Ratchet Headband
1002302	SA660	Helmet-mounted Visor Holder (plastic)
1002305	SA66	Helmet-mounted Visor Holder (metal)
1002304	SA66M	Helmet-mounted Visor Holder (metal)

Application	Art. nr.	Name	Description
Heavy mechanical tasks	1002310	SV9PC/CG	Clear Polycarbonate Visor to suit Chinguard Chinguard (200mm)
Heavy mechanical tasks	1002312	SV9PC	Clear Polycarbonate Visor (230mm)
Foundries	1002325	SV9PGFH	Gold-Coated Abrasion-Resistant Polycarbonate (230mm)



With comprehensive experience in industrial hazards, Honeywell designs and manufactures all types of gloves (mechanical, cut resistant, chemical, thermal, electrical and general handling) with the aim of ensuring comfort, safety and total adaptability to the workplace.

GENERAL HANDLING PROTECTION

POLYTRIL MIX

A perfect fit for handling heavy and sharp objects in a greasy, damp and/or dirty environment. The cotton polyamide thread offers excellent comfort and provides the glove with effective properties against cuts. The rough nitrile coating at the palm and fingertips provides outstanding abrasion resistance and impermeability to oils.

Size 6 - 11 Art No.2232233
Rating 4232



POLYTRIL TOP

Ideal for handling in oily or greasy conditions, wet environments and assembly work in a greasy/oily environment. The knitted construction conforms perfectly to the natural shape of the hand thus providing excellent dexterity. Polyamide combines good resistance to abrasion, humidity, tearing and shearing. The nitrile coating on the palm and fingertips offer excellent abrasion resistance as well as oil proof properties.

Size 7 - 11 Art No.2232236
Rating 4121



SPLIT RIGGER

A supreme glove for heavy handling in a dry environment. The light canvas lining and back make the glove very comfortable. The split leather quality ensures good mechanical resistance. The canvas cuff offers forearm protection.

Size 9/10 Art No.2000093
Rating 3132



FLEXINITE GRIP

The tight knit gives the glove perfect support, limits the penetration of dirt and offers better dexterity and optimum handling. Super grip with rough nitrile texture.

3/4 Dip Art No.GLO300
Size 8 - 11
Rating 4121



ULTIFLEX

Good abrasion resistance in greasy and abrasive environments. Better dexterity offers optimum handling. Ergonomic design and comfort.

3/4 Dip Art No.GLO100
Full dip Art No.GLO101
Size: 9/10
Rating: 4211



CUT PROTECTION

TUFF CUT LATEX

The best option for handling of heavy parts with high cut risks in humid and slippery environments. Light thermal protection (up to 250°C). Cut level 5. The mix of high tenacity polyamide, Kevlar and steel fibre makes this glove an excellent choice for extreme cut risks. The Kevlar yarn assures a resistance to contact heat.

Size 7 - 10 Art No.2232532
Rating 3543
X2XXXX Heat



SHARPFLEX PU

Ideal for handling of heavy parts with high cut risks in dry or slightly greasy environments. Cut level 5. The knitting technique provides the glove with an excellent fit and high dexterity. The composite yarn is reliable and offers safe protection. The para-aramid yarn assures a resistance to cut risks. The black PU coating on palm increases the abrasion resistance.

Size: 7 - 11 Art No.2232523
Rating: 4541





THERMAL PROTECTION

GREEN WELDING PLUS

Multi-purpose leather glove for all types of welding and heavy handling. Fully-lined interior for exceptional comfort and protection. Kevlar® thread assembly.

Size 8 - 10 Art No.2000042
Rating 4133
413X4X Heat



BLUE WELDER

Split leather treated against the heat for excellent resistance to contact and radiant heat. The reinforced palm and thumb in split leather increases the glove's durability. The split leather cuff protects a large part of the forearm against mechanical hazards.

Size 9/10 Art No.2000044
Rating 3121
413X4X Heat



CHEMICAL PROTECTION

POWERCOAT® NITRAF

Mechanical and chemical resistance to a large range of products (oils, detergents and many solvents). Its diamond finish is tailored for grasping dry and damp objects. Nitrile ensures good chemical properties and excellent mechanical characteristics (abrasion). It is particularly suitable for the handling of oils and greases.

Size 7 - 10 Art No.2095301
Rating 4101, JKL



POWERCOAT® MIX-COLOUR

This latex glove is ideal for industrial cleaning, maintenance work and industrial surface treatments. The neoprene/latex blend makes the glove suitable for a wide range of chemicals. Double-dipped, it ensures a good level of chemical protection and superior mechanical protection. The cuff helps to protect a large part of the forearm.

Size 7 - 10 Art No.2095010
Rating 4121



MAINBIS 40 G

For handling in an aggressive environment: oils, greases, chemicals, hydrocarbons. The cotton interlocking lining strengthens the glove's mechanical performance while absorbing hand perspiration for added comfort.

Size 7/8, 9/10, 11/12 Art No.2007341
Rating 4121, AKL



PETRONYL 40 GR

This rough green PVC glove is perfect for handling in an aggressive environment. The finish improves the grip, to grasp objects in a greasy or damp atmosphere. The articulated fingers offer superior comfort and reduce effort in cases of extended use. Special PVC for hydrocarbons offering excellent protection against oils, alkaline, saline solutions and acids.

Size 7/8, 9/10, 11/12 Art No.2008244
Rating 4121, AKL





As the gas detection experts, Honeywell brings together nearly 200 collective years of expertise in design, manufacture and technology. Adaptability and innovation are key themes at Honeywell. The company's comprehensive product range has an option suited to every type of application or industry.

SINGLE-SENSOR GAS DETECTION

BW CLIP

The BW Clip operates for up to three years maintenance-free. Just slip it into a hibernation case when you're not using it for a week or more, and extend its service life for that period of time (for up to a year). It has an automated self-test, rugged protection for harsh environments, a wide-angle alarm flash and other great features. When used with the IntelliDoX instrument management system, the BW Clip is also the most flexible and configurable maintenance-free detector on the market.

With IntelliDoX, you can:

- Adjust alarm set points to meet changing requirements.
- Track bump tests and set a non-compliance indicator.
- Bump 50 BW Clip detectors in less than three minutes.
- Improve safety and compliance in gas detection.



GAS ALERT EXTREME

With easy on/off operation, this single gas detector offers extended longevity with a two year field-replaceable battery and sensor. Calibration is a simple automatic procedure and is compatible with BW Technologies by Honeywell's MicroDock II automatic test and calibration system. A wide range of user options, multi-language display and data-logging functionality make the GasAlertExtreme an ideal solution for many applications.

Additional GasAlertExtreme features include:

- Tamper-proof settings with passcode protection.
- Continuous LCD shows real-time gas concentration.
- Compact and lightweight design make it comfortable to wear.
- Water-resistant.
- Simple automatic calibration procedure; compatible with BW MicroDock II automatic test and calibration station.



MULTI-GAS DETECTOR

GAS ALERT MICRO CLIP XL

The easy to wear, sleek and compact GasAlertMicroClip provides affordable protection from atmospheric gas hazards. Simple one-button operation for the ultimate ease of use significantly reduces training times.

The GasAlertMicroClip is fully compatible with BW's MicroDock II automatic test and calibration system and Fleet Manager II desktop software.

Additional GasAlertMicroClip features include:

- Choose the GasAlertMicroClip XL for longer shifts.
- IntelliFlash™ verifies operation and compliance to both the user and supervisor.
- Tamper-proof, one button operation.
- Powered by a rechargeable lithium polymer battery.



GAS ALERT QUATTRO

With flexible power options, the GasAlertQuattro is always ready. The graphic LCD displays easy to identify icons that indicate operational information, such as bump test and calibration status for simplified onsite auditing. IntelliFlash provides continuous visual confirmation of detector operation and compliance.

Additional GasAlertQuattro features include:

- Interchangeable rechargeable battery pack or alkaline pack with three AA batteries.
- Comprehensive data-logging and event logging capacity
- IntelliFlash verifies operation and compliance to user and supervisors from up to 20 ft / 6.1m.
- Field-proven SureCell sensors offer an unprecedented performance in even the harshest environments.



GAS ALERT MAX XT II

GasAlertMax XT II is the smart, simple, and economical way to compliance. Workers feel safe and incidents are minimised so everyone will be able to do more. That means savings realised from business continuity and productivity.

Simple operation, with SmartSample pump.

GasAlertMax XT II reliably monitors up to four hazards and combines straightforward one-button operation with our robust, motorised pump for intelligent, remote sampling, ideal for confined spaces. The GasAlertMax XT II is fully compatible with MicroDock II automated test and calibration system.



GAS ALERT MICRO 5

Providing protection from up to five potential atmospheric hazards, GasAlertMicro 5 is unparalleled in its versatility, capability and overall value. It's compact, lightweight and water-resistant

Additional Features include:

- Integral concussion-proof boot.
- Optional integral motorised pump option for remote sampling
- Powered by three AA alkaline batteries or a hot-swappable rechargeable battery pack.
- Triple alarms (audible, visual and vibrating).
- Multi-language support.
- Four alarm levels: Low, High, TWA and STEL.
- Compatible with MicroDock II Automatic Test and Calibration Station.
- Data-logging models store and recall event information.
- Password protection, safe and stealth modes.
- Full function self-test confirms sensor, battery and circuitry integrity and audible/visual alarms on activation.



Automatic docking stations that complement the Honeywell and BW by Honeywell range of Gas Detection are also available. Enquire about the IQ Express and MicroDock II today! The Gas Detection range of products is available from HSE Solutions directly.



Fall Protection

MILLER
by Honeywell

VERTIGO
by HSE SOLUTIONS

The Miller by Honeywell and VertiGo Fall Arrest products are designed to meet the high demands of industry. Features include high-quality fittings, a highly visible webbing, reflective stitching and easy adjustability which promotes user acceptance.

FALL ARREST

VERTIGO HARNESSES

Economical model with high-quality fittings, high-visibility webbing / reflective stitching and easy adjustability ensures high user acceptance.



Vertigo 2pt Harness	Art No.VHF001
Vertigo 1-pt Harness. Single tie-back lanyard and snap	Art No.VK001
Vertigo 1-pt Harness. Double tie-back lanyard and 2 snap hooks	Art No.VK002
Vertigo 2-pt Harness. Double lanyard and 2-scaffold hooks	Art No.VK003
Vertigo Easy fit 1-pt Harness. Double lanyard and 2-scaffold hooks	Art No.VK007
Vertigo Easy fit 1-pt Harness. Double lanyard and 2-snap hooks	Art No.VK014

VERTIGO 2-PT HARNESS

With suspension leg strap, waist belt, cap lamp belt and padded leg strap. Quick release buckles.

Art No.VHM001



MILLER H-DESIGN

Standard webbing, 2pt with webbing loops and mating buckles

Size 2	Art No. 1032840
Size 3	Art No. 1032841

Standard webbing, 1pt and mating buckles

Size 3	Art No. 1032833
--------	-----------------

Stretch webbing, 2pt with front D-ring and automatic buckles

Art No. 1032876 Art No. 1032877



FULL BODY SUSPENSION HARNESSES

VERTIGO MPH2 ROPE ACCESS FULL BODY HARNESS

With front, rear and side d-rings, shoulder and back strap padding, comes with detachable standing step attachments and standard quick release buckles/d-rings. Reflective webbing.

Art No.VHS001



VERTIGO 1.8M ADJUSTABLE DOUBLE LANYARD

With karabiner and 2 scaffold hooks.

Art No.VL002



AVIABLOC

Inertia reel fall arrester - Lifeline material 48mm - polyamide webbing (weight 1 unit: 1,25kg - length : 2,5m)

Art No.1002871



VERTIGO HORIZONTAL LIFELINE 20M SYSTEM

The VertiGo Horizontal Anchorage Lifeline, equipped with the VertiGo Ratchet Tensioner, allows easy tensioning of the lifeline between two supports. The system is supplied in a bag which has comfortable shoulder straps, allowing it to be carried easily. The bag is permanently attached to the assembly and once fitted, any extra webbing stays in the bag.

Art No.VHLL001



RETRACTABLE LANYARD

TURBOLITE

Web WSA 2m C/W SGK

Art No.1018015



FALCON SRL ECO

Falcon SRL Eco, Steel Spring, Galvanised steel cable, load indicator with swivel snap hook

6m	Art No.1012433
10m	Art No.1012434





Disposable Clothing

Honeywell

SPACEL COMFORT LIGHT

A liquidtight Single Use Protective Clothing designed to protect against chemicals

89/656/CEE

Types: 3/4

Size S, M, L, XL, XXL, XXXL Art No.4505000



SPACEL COMFORT HEAVY

A liquid-tight Single Use Protective Clothing type 3, 4, 5 & 5 designed to protect against chemicals, radioactive particles and biological agents

89/656/CEE

Types: 3/6

Size S, M, L, XL, XXL, XXXL Art No.4507000



SPACEL COMFORT MEDIUM

A liquidtight antistatic Single Use Protective Clothing designed to protect against chemicals, radioactive particles and biological agent

89/656/CEE

Types: 3/6

Size S, M, L, XL, XXL, XXXL Art No.4506000



SPACEL COMFORT FR

A Flame-Retardant type 3 & 4, antistatic Single Use Protective Clothing designed to protect against chemicals

89/656/CEE

Types: 3/4

Size S, M, L, XL, XXL, XXXL Art No.4508000



MUTEX LIGHT OVERALL

Mutex light is A type 5 & 6, antistatic, radioactive particles and biological agents certified coverall with elasticated hood, waist, wrists & ankles. Made of white laminated polypropylene - silicone & latex-free

89/656/CEE

Types: 3/4

Size S, M, L, XL, XXL, XXXL Art No.4500500



MUTEX 2 OVERALL

Highly water-resistant white polypropylene overall Antistatic with elasticated hood, elasticated latex-free wrists and ankles Double flap protecting the zip CE CAT 3

Types: 5/6

Size S, M, L, XL, XXL, XXXL Art No.4180002



BREATHALYZER

ALCOQUANT® 6020 PLUS

The new generation with even easier operation and many new functions

With its remarkably intuitive menu, the new AlcoQuant® 6020 plus is even easier to use. Several new functions and configuration options ensure that the device is perfectly suited for practical use.



Lightweight, fast, simple, and reliable.

The device can be operated with a single hand via three keys. The entire menu navigation is self-explanatory and immediately understandable with no learning phase. All messages and readouts are shown on the display in plain language. Optimal readability in both complete darkness and strong sunlight is guaranteed. The self-monitoring function, ergonomic design, and outstanding sensor technology ensure reliable results in any situation.

Art No: 1001779

All PPE available through authorised distributors. Contact HSE Solutions for a distributor in your area.



Address: Block A, Great Wall Building,
5 Skeen Boulevard
Bedfordview

Tel: 011-450-1936/7

Email: jayce@safetyatworkcc.co.za
info@safetyatworkcc.co.za

Honeywell

MILLER
by Honeywell

HOWARD LEIGHT
by Honeywell

BWF
Technologies
by Honeywell

optrel



